

475-495

ENDURING HIGH PERFORMANCE







BREAKING THE 21% EFFICIENCY BARRIER

Q.ANTUM DUO Z Technology with zero gap cell layout boosts module efficiency up to 21.6%.



LOW ELECTRICITY GENERATION COSTS

Higher yield per surface area, lower BOS costs and up to 80 watts more module power than standard 144 half-cell modules.



ENDURING HIGH PERFORMANCE

Long-term yield security with Anti LID Technology, Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q™.



EXTREME WEATHER RATING

High-tech aluminum alloy frame, certified for high snow (5400 Pa) and wind loads (3000 Pa).



A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance warranty².



STATE OF THE ART MODULE TECHNOLOGY

Q.ANTUM DUO combines cutting edge cell separation and innovative 12-busbar design with Q.ANTUM Technology.



² See data sheet on rear for further information.




THE IDEAL SOLUTION FOR:



Ground-mounted solar power plants



landscape installation are available upon request.




ELECTRICAL CHARACTERISTICS

PO	WER CLASS			475	480	485	490	495
MIN	IIMUM PERFORMANCE AT STANDAR	D TEST CONDITIO	NS, STC1 (PO	WER TOLERANCE +	5W/-0W)			
mnu	Power at MPP¹	P _{MPP}	[W]	475	480	485	490	495
	Short Circuit Current ¹	I _{sc}	[A]	11.24	11.26	11.29	11.31	11.34
	Open Circuit Voltage ¹	V _{oc}	[V]	53.58	53.61	53.64	53.68	53.71
Minim	Current at MPP	I _{MPP}	[A]	10.66	10.71	10.76	10.81	10.86
_	Voltage at MPP	V_{MPP}	[V]	44.54	44.81	45.07	45.33	45.59
	Efficiency ¹	η	[%]	≥20.5	≥20.7	≥20.9	≥21.2	≥21.4
MIN	IIMUM PERFORMANCE AT NORMAL	OPERATING CONI	DITIONS, NM	OT ²				
	Power at MPP	P _{MPP}	[W]	356.4	360.1	363.9	367.6	371.4
E	Short Circuit Current	I _{sc}	[A]	9.05	9.07	9.09	9.12	9.14
im	Open Circuit Voltage	V _{oc}	[V]	50.53	50.56	50.59	50.62	50.65
Ē	Current at MPP	I _{MPP}	[A]	8.39	8.43	8.47	8.52	8.56
	Voltage at MPP	V _{MPP}	[V]	42.49	42.72	42.94	43.17	43.39

¹Measurement tolerances P_{MPP} ±3%; I_{SC}; V_{OC} ±5% at STC: 1000 W/m², 25±2°C, AM 1.5 according to IEC 60904-3 • ²800 W/m², NMOT, spectrum AM 1.5


Q CELLS PERFORMANCE WARRANTY



At least 98% of nominal power during first year. Thereafter max. 0.5% degradation per year. At least 93.5% of nominal power up to 10 years. At least 86% of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.

PERFORMANCE AT LOW IRRADIANCE



Typical module performance under low irradiance conditions in comparison to STC conditions (25 °C, 1000 W/m²)

TEMPERATURE COEFFICIENTS									
Temperature Coefficient of I _{SC}	α	[%/K]	+0.04	Temperature Coefficient of Voc	β	[%/K]	-0.27		
Temperature Coefficient of P _{MPP}	γ	[%/K]	-0.34	Nominal Module Operating Temperature	NMOT	[°F]	109±5.4 (43±3°C)		

PROPERTIES FOR SYSTEM DESIGN

Maximum System Voltage $V_{\scriptsize SYS}$	[V]	1500 (IEC)/1500 (UL)	PV module classification	Class II	
Maximum Series Fuse Rating	[A DC]	20 Fire Rating based on ANSI/UL 61730		TYPE 1	
Max. Design Load, Push/Pull ³	[lbs/ft ²]	75 (3600 Pa) / 42 (2000 Pa)	Permitted Module Temperature	-40°F up to +185°F	
Max. Test Load, Push / Pull ³	[lbs/ft ²]	113 (5400 Pa) / 63 (3000 Pa)	on Continuous Duty	(-40°C up to +85°C)	

QUALIFICATIONS AND CERTIFICATES

PACKAGING INFORMATION

UL 61730, CE-compliant, IEC 61215:2016, IEC 61730:2016, U.S. Patent No. 9,893,215 (solar cells); Certification in process.

3 See Installation Manual





















1779 lbs 89.4 in 43.3 in 47.6 in 20 Horizontal 22 29 2270 mm 1100 mm 1210 mm 807kg packaging pallets pallets modules

Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS America Inc.